


TRADITIONAL ABS STRIP STOCK

Useful thin strips of plastic for general scratch model building. Precision Extruded in Light and Dark Gray ABS Plastics. Ideal for all facets of model building.



CODE	ACTUAL SIZE				COLOR
	'W'		'T'		
STSC-1	1-1/4"	31.8mm	.020	0.5mm	Light Gray
STSC-2	1-1/4"	31.8mm	.030	0.8mm	Light Gray
STSS-1	1-1/4"	31.8mm	.020	0.5mm	Dark Gray
STSS-2	1-1/4"	31.8mm	.030	0.8mm	Dark Gray

NOTE: 24" (600mm) Length.



FINELINE STYRENE STRIP STOCK


Useful thin strips of plastic for general scratch model building. Precision Extruded in White Styrene Plastic. Ideal for museum quality and smaller scale model construction where assembly speed and cost are the determining factors.

CODE	ACTUAL SIZE				COLOR
	'W'		'T'		
STS-2	1-1/4"	31.8mm	.020	0.5mm	White
STS-3	1-1/4"	31.8mm	.030	0.8mm	White

NOTE: 24" (600mm) Length.

SOLID ABS RECTANGULAR & SQUARE ROD

Useful rectangular and square solid plastic rod for general scratch model building. Precision Extruded in Dark Gray ABS Plastic. Ideal for all facets of model building.



CODE	ACTUAL SIZE			
	'H'		'W'	
SAR-4	1/8"	3.2mm	1/8"	3.2mm
SAR-8	1/8"	3.2mm	1/4"	6.4mm
SAR-12	1/8"	3.2mm	3/8"	9.5mm


NOTE: 15" (375mm) Length.

ABS Rectangular & Square Rod are also available at double the shown length for twice the listed price. Just add 'L' to the end of the Product Code. Example: SAR-8L

TIP:

For smudge free bonding, apply a small amount of solvent cement with a blunt tipped syringe needle at one end of the parts to be joined and allow the cement to flow, through capillary action, the entire length and breadth of the joint. This will provide a "weld" as strong as the surrounding areas. **Be sure to use PLASTRUCT Plastic Weld or Bondene Cements.**

SOLID STYRENE ROUND ROD




Use for bracing, cabling, piping, wiring, conduit or wherever round stock is appropriate. Precision Extruded in White Styrene Plastic. Ideal for all facets of scratch model building.

CODE	ACTUAL	
	O.D.	
MR-10	.010	0.3mm
MR-15	.015	0.4mm
MR-20	.020	0.5mm
MR-25	.025	0.6mm
MR-30	.030	0.8mm
MR-35	.035	0.9mm
MR-40	.040	1.0mm
MR-45	.045	1.1mm
MR-50	.050	1.3mm
MR-60	.060	1.5mm
MR-80	.080	2.0mm
MR-100	.100	2.5mm
MR-125	1/8"	3.2mm
MR-160	5/32"	4.0mm
MR-190	3/16"	4.8mm
MR-250	1/4"	6.4mm

NOTE: 10" (250mm) Length.

SOLID STYRENE HALF & QUARTER-ROUND ROD


Use for bumpers, building trim, recessed conduit or wherever quarter or half-rounds are used. Precision Extruded in White Styrene Plastic. Ideal for all facets of scratch model building.



HALF-ROUND

CODE	ACTUAL SIZE			
	O.D.		'H'	
MRH-30	.030	0.8mm	.015	0.4mm
MRH-40	.040	1.0mm	.020	0.5mm
MRH-60	.060	1.5mm	.030	0.8mm
MRH-80	.080	2.0mm	.040	1.0mm
MRH-100	.100	2.5mm	.050	1.3mm
MRH-125	1/8"	3.2mm	1/16"	1.6mm
MRH-160	5/32"	4.0mm	5/64"	2.0mm
MRH-190	3/16"	4.8mm	3/32"	2.4mm
MRH-250	1/4"	6.4mm	1/8"	3.2mm

NOTE: 10" (250mm) Length.




QUARTER-ROUND

CODE	ACTUAL SIZE			
	'H'		'W'	
MRQ-30	.030	0.8mm	.030	0.8mm
MRQ-40	.040	1.0mm	.040	1.0mm
MRQ-60	.060	1.5mm	.060	1.5mm
MRQ-80	.080	2.0mm	.080	2.0mm
MRQ-100	.100	2.5mm	.100	2.5mm
MRQ-125	1/8"	3.2mm	1/8"	3.2mm

NOTE: 10" (250mm) Length.

SOLID STYRENE SQUARE ROD

Use for bracing and strapping, or for steel and wood members in all forms of structures. Precision Extruded in White Styrene Plastic. Ideal for all facets of scratch model building.




CODE	ACTUAL	
	'H' & 'W'	
MS-10	.010	0.3mm
MS-20	.020	0.5mm
MS-30	.030	0.8mm
MS-40	.040	1.0mm
MS-60	.060	1.5mm
MS-80	.080	2.0mm
MS-100	.100	2.5mm
MS-125	1/8"	3.2mm
MS-160	5/32"	4.0mm
MS-190	3/16"	4.8mm
MS-250	1/4"	6.4mm

NOTE: 10" (250mm) Length.

SOLID STYRENE TRIANGULAR ROD

Use for bracing and strapping, or for steel and wood members in all forms of structures. Precision Extruded in White Styrene Plastic. Ideal for all facets of scratch model building.



CODE	ACTUAL	
	'H' & 'W'	
MRT-30	.030	0.8mm
MRT-40	.040	1.0mm
MRT-60	.060	1.5mm
MRT-80	.080	2.0mm
MRT-100	.100	2.5mm
MRT-125	1/8"	3.2mm

NOTE: 10" (250mm) Length.

SOLID STYRENE PENTAGON & HEXAGON ROD

Cut into short lengths and use for bolt heads in all forms of steel assembly, including bridges, vehicles, etc. Also good for steel and wood column members in all forms of commercial and residential structures. Precision Extruded in White Styrene Plastic. Ideal for all facets of scratch model building.



CODE	ACTUAL	
	'W'	
MRP-20	.020	0.5mm
MRP-30	.030	0.8mm
MRP-40	.040	1.0mm
MRP-50	.050	1.3mm
MRP-60	.060	1.5mm


NOTE: 10" (250mm) Length.



CODE	ACTUAL	
	'W'	
MRX-20	.020	0.5mm
MRX-30	.030	0.8mm
MRX-40	.040	1.0mm
MRX-60	.060	1.5mm
MRX-80	.080	2.0mm
MRX-100	.100	2.5mm
MRX-125	1/8"	3.2mm

NOTE: 10" (250mm) Length.

SOLID STYRENE RECTANGULAR STRIP




Use for bracing and strapping, or for steel and wood members in all forms of structures. Precision Extruded in White Styrene Plastic. Ideal for all facets of scratch model building.

CODE	ACTUAL SIZE			
	'H'		'W'	
MS-102	.010	0.3mm	.020	0.5mm
MS-103	.010	0.3mm	.030	0.8mm
MS-104	.010	0.3mm	.040	1.0mm
MS-106	.010	0.3mm	.060	1.5mm
MS-108	.010	0.3mm	.080	2.0mm
MS-110	.010	0.3mm	.100	2.5mm
MS-112	.010	0.3mm	1/8"	3.2mm
MS-116	.010	0.3mm	5/32"	4.0mm
MS-119	.010	0.3mm	3/16"	4.8mm
MS-122	.010	0.3mm	1/4"	6.4mm
MS-203	.020	0.5mm	.030	0.8mm
MS-204	.020	0.5mm	.040	1.0mm
MS-206	.020	0.5mm	.060	1.5mm
MS-208	.020	0.5mm	.080	2.0mm
MS-210	.020	0.5mm	.100	2.5mm
MS-212	.020	0.5mm	1/8"	3.2mm
MS-216	.020	0.5mm	5/32"	4.0mm
MS-219	.020	0.5mm	3/16"	4.8mm
MS-225	.020	0.5mm	1/4"	6.4mm
MS-304	.030	0.8mm	.040	1.0mm
MS-306	.030	0.8mm	.060	1.5mm
MS-308	.030	0.8mm	.080	2.0mm
MS-310	.030	0.8mm	.100	2.5mm
MS-312	.030	0.8mm	1/8"	3.2mm
MS-316	.030	0.8mm	5/32"	4.0mm
MS-319	.030	0.8mm	3/16"	4.8mm
MS-325	.030	0.8mm	1/4"	6.4mm
MS-406	.040	1.0mm	.060	1.5mm
MS-408	.040	1.0mm	.080	2.0mm
MS-410	.040	1.0mm	.100	2.5mm
MS-412	.040	1.0mm	1/8"	3.2mm
MS-416	.040	1.0mm	5/32"	4.0mm
MS-419	.040	1.0mm	3/16"	4.8mm
MS-425	.040	1.0mm	1/4"	6.4mm
MS-608	.060	1.5mm	.080	2.0mm
MS-610	.060	1.5mm	.100	2.5mm
MS-612	.060	1.5mm	1/8"	3.2mm
MS-616	.060	1.5mm	5/32"	4.0mm
MS-619	.060	1.5mm	3/16"	4.8mm
MS-625	.060	1.5mm	1/4"	6.4mm
MS-810	.080	2.0mm	.100	2.5mm
MS-812	.080	2.0mm	1/8"	3.2mm
MS-816	.080	2.0mm	5/32"	4.0mm
MS-819	.080	2.0mm	3/16"	4.8mm
MS-825	.080	2.0mm	1/4"	6.4mm
MS-1012	.100	2.5mm	1/8"	3.2mm
MS-1016	.100	2.5mm	5/32"	4.0mm
MS-1019	.100	2.5mm	3/16"	4.8mm
MS-1025	.100	2.5mm	1/4"	6.4mm
MS-1216	1/8"	3.2mm	5/32"	4.0mm
MS-1219	1/8"	3.2mm	3/16"	4.8mm
MS-1225	1/8"	3.2mm	1/4"	6.4mm
MS-1619	5/32"	4.0mm	3/16"	4.8mm
MS-1625	5/32"	4.0mm	1/4"	6.4mm
MS-1925	3/16"	4.8mm	1/4"	6.4mm

NOTE: 10" (250mm) Length.

SOLID FLUORESCENT ACRYLIC ROUND ROD

A unique additive in the Acrylic actually gathers light from the sides of the rod and emits it from the ends. Originally developed for education, creative modelers are finding many other uses, including switch lights, auto tail lights, candles and neon signage. New Acrylic formula allows flexibility on 1/8" (3.2mm) and smaller size rods not known to Acrylic Plastics. Precision Extruded in Blue, Green, Red and Yellow Fluorescent Colored Acrylic Plastic.



CODE	ACTUAL		COLOR
	O.D.		
FARB-2	1/16"	1.6mm	Blue
FARB-3	3/32"	2.4mm	Blue
FARB-4	1/8"	3.2mm	Blue
FARB-5	5/32"	4.0mm	Blue
FARB-8	1/4"	6.4mm	Blue
FARB-12	3/8"	9.5mm	Blue
FARG-2	1/16"	1.6mm	Green
FARG-3	3/32"	2.4mm	Green
FARG-4	1/8"	3.2mm	Green
FARG-5	5/32"	4.0mm	Green
FARG-8	1/4"	6.4mm	Green
FARG-12	3/8"	9.5mm	Green
FARR-2	1/16"	1.6mm	Red
FARR-3	3/32"	2.4mm	Red
FARR-4	1/8"	3.2mm	Red
FARR-5	5/32"	4.0mm	Red
FARR-8	1/4"	6.4mm	Red
FARR-12	3/8"	9.5mm	Red
FARY-2	1/16"	1.6mm	Yellow
FARY-3	3/32"	2.4mm	Yellow
FARY-4	1/8"	3.2mm	Yellow
FARY-5	5/32"	4.0mm	Yellow
FARY-8	1/4"	6.4mm	Yellow
FARY-12	3/8"	9.5mm	Yellow

NOTE: 20" (500mm) Length.

Sizes 2,3,4 & 5 are also available at half the shown length for half the listed price. Just add 'H' to the end of the Product Code.

Example: FARR-4H





Photo courtesy of JEMA Corp, Shinagawaku, Tokyo, Japan

TIP:

All Acrylic Rods may be cut using a fine tooth saw blade. Cut ends should be polished using a flame or WET & DRY fine grit sand paper. Bending may be accomplished by carefully softening the Acrylic using a torch flame or electric stove burner.

SOLID CLEAR ACRYLIC ROUND ROD



Use for bracing, cabling, piping, wiring, conduit or wherever round stock is appropriate. Also quite useful and attractive in crafts and educational projects. Precision Extruded in Clear Acrylic Plastic. Ideal for all facets of scratch model building.


CODE	ACTUAL	
	O.D.	
AR-2	1/16"	1.6mm
AR-4	1/8"	3.2mm
AR-6	3/16"	4.8mm
AR-8	1/4"	6.4mm
AR-10	5/16"	7.9mm
AR-12	3/8"	9.5mm
AR-14	7/16"	11.1mm
AR-16	1/2"	12.7mm
AR-18	9/16"	14.3mm
AR-20	5/8"	15.9mm
AR-24	3/4"	19.1mm
AR-28	7/8"	22.2mm
AR-32	1"	25.4mm
AR-36	1-1/8"	28.6mm

NOTE: 17-1/2" (450mm) Length.

Clear Acrylic Round Rod is also available at double the shown length for twice the listed price. Just add 'L' to the end of the Product Code. Example: AR-8L
AR-2 and AR-4 are also available at half the shown length for half the listed price. Just add 'H' to the end of the Product Code. Example: AR-2H

SOLID CLEAR ACRYLIC SQUARE ROD

Use for glass columns or where clear or painted square stock is appropriate. Also quite useful and attractive in crafts and educational projects. Precision Extruded in Clear Acrylic Plastic. Ideal for all facets of scratch model building.



CODE	ACTUAL	
	'H' & 'W'	
ASR-4	1/8"	3.2mm
ASR-6	3/16"	4.8mm
ASR-8	1/4"	6.4mm
ASR-12	3/8"	9.5mm
ASR-16	1/2"	12.7mm
ASR-20	5/8"	15.9mm
ASR-24	3/4"	19.1mm
ASR-32	1"	25.4mm

NOTE: 17-1/2" (450mm) Length.

Clear Acrylic Square Rod is also available at double the shown length for twice the listed price. Just add 'L' to the end of the Product Code.
Example: ASR-20L




IN A HURRY?

Call our Toll Free 800 Order Line and pay by
VISA/MasterCard. (800) 666-7015 8:00 am-2:00 pm Pacific Time.

SOLID CLEAR ACRYLIC SPIRAL ROD

Use for glass columns or where clear or painted spiral stock is appropriate. Also quite useful and attractive in crafts and educational projects. Precision Extruded in Clear Acrylic Plastic.




CODE	ACTUAL	
	'H' & 'W'	
ASSR-12	3/8"	9.5mm
ASSR-16	1/2"	12.7mm
ASSR-20	5/8"	15.9mm
ASSR-24	3/4"	19.1mm
ASSR-32	1"	25.4mm

NOTE: 17-1/2" (450mm) Length.

Clear Acrylic Spiral Rod is also available at double the shown length for twice the listed price. Just add 'L' to the end of the Product Code.

Example: ASSR-20L



SOLID CLEAR ACRYLIC HALF-ROUND ROD

Use for the top housing unit of corrugated roll-up doors, molding, building trim, or in crafts and educational projects. Precision Extruded in Clear Acrylic Plastic.

CODE	ACTUAL SIZE			
	O.D.		'H'	
AHR-16	1/2"	12.7mm	1/4"	6.4mm
AHR-20	5/8"	15.9mm	5/16"	7.9mm
AHR-24	3/4"	19.1mm	3/8"	9.5mm
AHR-32	1"	25.4mm	1/2"	12.7mm


NOTE: 17-1/2" (450mm) Length.

Clear Acrylic Half-Round Rod is also available at double the shown length for twice the listed price. Just add 'L' to the end of the Product Code.

Example: AHR-20L

SOLID CLEAR ACRYLIC RECTANGULAR ROD

Use for glass columns or where clear or painted rectangular stock is appropriate. Also quite useful and attractive in crafts and educational projects. Precision Extruded in Clear Acrylic Plastic.



CODE	ACTUAL SIZE			
	'H'		'W'	
ARR-5	5/8"	15.9mm	1/8"	3.2mm
ARR-7	3/4"	19.1mm	3/16"	4.8mm
ARR-8	1/2"	12.7mm	1/4"	6.4mm
ARR-9	1"	25.4mm	1/4"	6.4mm
ARR-23	1"	25.4mm	3/4"	19.1mm

NOTE: 17-1/2" (450mm) Length.

Clear Acrylic Rectangular Rod is also available at double the shown length for twice the listed price. Just add 'L' to the end of the Product Code.

Example: ARR-9L